


## Fully Insulated - 1000V Rated Adjustable Wrenches



- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Tension spring stabilizes jaw and allows easy adjustment of knurled adjustment knob
- Alloy steel and heat treated
- Proportioned dimensions for greatest strength and minimum weight
- Fully insulated adjustable wrench with NO exposed metal for complete 1000V Protection



**AW-10FI**

| PN              | DESC                   |
|-----------------|------------------------|
| AW-6FI.....6"   | O.A.L. - .94" Opening  |
| AW-8FI.....8"   | O.A.L. - 1.13" Opening |
| AW-10FI.....10" | O.A.L. - 1.31" Opening |
| AW-10FI-ST.10"  | With Loop              |
| AW-12FI.....12" | O.A.L. - 1.56" Opening |
| AW-15FI.....15" | O.A.L. - 1.75" Opening |

## Insulated - Non-Voltage Rated Adjustable Wrenches



- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Tension spring stabilizes jaw and allows easy adjustment of knurled adjuster
- Alloy steel and heat treated
- Proportioned dimensions for greatest strength and minimum weight

**\*NOT A VOLTAGE RATED TOOL**



**AW-10**

| PN            | DESC                   |
|---------------|------------------------|
| AW-4.....4"   | O.A.L. - .69" Opening  |
| AW-6.....6"   | O.A.L. - .94" Opening  |
| AW-6-C...6"   | Chrome                 |
| AW-8.....8"   | O.A.L. - 1.13" Opening |
| AW-8-C...8"   | Chrome                 |
| AW-10.....10" | O.A.L. - 1.31" Opening |
| AW-10-C..10"  | Chrome                 |
| AW-12.....12" | O.A.L. - 1.56" Opening |
| AW-12-C..12"  | Chrome                 |
| AW-15.....15" | O.A.L. - 1.75" Opening |
| AW-15-C..15"  | Chrome                 |

## Pipe Wrenches



- Oh Yes - We even have these
- Premium quality Rothenberger base tool with bump protection

**\*NOT A VOLTAGE RATED TOOL**



**12PW**

| PN           | DESC |
|--------------|------|
| 8PW.....8"   |      |
| 10PW.....10" |      |
| 12PW.....12" |      |

RATED 1000 VAC / 1500 VDC  
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

| PN      | DESC             |
|---------|------------------|
| OEW-06  | 3/16"            |
| OEW-08  | 1/4"             |
| OEW-10  | 5/16"            |
| OEW-10L | 5/16" Long 7"    |
| OEW-11  | 11/32"           |
| OEW-12  | 3/8"             |
| OEW-14  | 7/16"            |
| OEW-16  | 1/2"             |
| OEW-18  | 9/16"            |
| OEW-20  | 5/8"             |
| OEW-22  | 11/16"           |
| OEW-24  | 3/4"             |
| OEW-26  | 13/16"           |
| OEW-28  | 7/8"             |
| OEW-28S | 7/8" Short 7"    |
| OEW-30  | 15/16"           |
| OEW-32  | 1"               |
| OEW-34  | 1-1/16"          |
| OEW-36  | 1-1/8"           |
| OEW-38  | 1-3/16"          |
| OEW-40  | 1-1/4"           |
| OEW-40S | 1-1/4" Short 10" |
| OEW-42  | 1-5/16"          |
| OEW-44  | 1-3/8"           |
| OEW-46  | 1-7/16"          |
| OEW-48  | 1-1/2"           |
| OEW-48S | 1-1/2" Short 10" |
| OEW-52  | 1-5/8"           |
| OEW-54  | 1-11/16"         |
| OEW-56  | 1-3/4"           |
| OEW-58  | 1-13/16"         |
| OEW-60  | 1-7/8"           |
| OEW-64  | 2"               |

| PN      | DESC |
|---------|------|
| OEW-06M | 6mm  |
| OEW-07M | 7mm  |
| OEW-08M | 8mm  |
| OEW-09M | 9mm  |
| OEW-10M | 10mm |
| OEW-11M | 11mm |
| OEW-12M | 12mm |
| OEW-13M | 13mm |
| OEW-14M | 14mm |
| OEW-15M | 15mm |
| OEW-16M | 16mm |
| OEW-17M | 17mm |
| OEW-18M | 18mm |
| OEW-19M | 19mm |
| OEW-20M | 20mm |
| OEW-21M | 21mm |
| OEW-22M | 22mm |
| OEW-23M | 23mm |
| OEW-24M | 24mm |
| OEW-25M | 25mm |
| OEW-26M | 26mm |
| OEW-27M | 27mm |
| OEW-28M | 28mm |
| OEW-29M | 29mm |
| OEW-30M | 30mm |
| OEW-32M | 32mm |

# Open End Wrenches

The right tool for the job. Cementex Open End Wrenches provide premium quality with a wide range of options when only the right tool will do. Long, Short, Big, Small, and everything in between – Cementex delivers.



- Classic design perfected over time
- Slender head allows access to tight locations
- Wide range of sizes and length
- Made in USA



OEW-22



IOEWS-8



IOEWS-11M

# Open End Wrench Sets

| PN        | DESC  |
|-----------|---|
| IOEWCB-6  | 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", T-Handle Bag - Long   |
| IOEWCB-8  | 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16, 1-3/8", 1-7/16", 1-1/2", T-Handle Bag - Long                                     |
| IOEWS-6   | 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", Wrench Roll Pouch 8   |
| IOEWS-8   | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8   |
| IOEWS-11  | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11                          |
| IOEWS-13  | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11             |
| IOEWS-14  | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13 |
| IOEWS-6M  | 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, Wrench Roll Pouch 8   |
| IOEWS-8M  | 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 8   |
| IOEWS-11M | 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm, Wrench Roll Pouch 11                                |
| IOEWS-13M | 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 11                       |
| IOEWS-17M | 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 13  |

TESTED 1000 VAC 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

# Box End Wrenches




The right tool for the job. Cementex Box End Wrenches provide premium quality with a wide range of options when only the right tool will do. Long, Short, Big, Small, and everything in between.

- Classic design perfected over time
- Slender head allows access to tight locations
- Wide range of sizes and length
- Made in USA



BEW-20



IBEWS-13

| PN       | DESC        | PN        | DESC        |
|----------|-------------|-----------|-------------|
| BEW-06   | 3/6"        | BEW-06M   | 6mm         |
| BEW-08   | 1/4"        | BEW-07M   | 7mm         |
| BEW-10   | 5/16"       | BEW-08M   | 8mm         |
| BEW-12   | 3/8"        | BEW-09M   | 9mm         |
| BEW-12OS | 3/8" Offset | BEW-10M   | 10mm        |
| BEW-14   | 7/16"       | BEW-11M   | 11mm        |
| BEW-16   | 1/2"        | BEW-12M   | 12mm        |
| BEW-16OS | 1/2" Offset | BEW-13M   | 13mm        |
| BEW-18   | 9/16"       | BEW-14M   | 14mm        |
| BEW-20   | 5/8"        | BEW-15M   | 15mm        |
| BEW-20OS | 5/8" Offset | BEW-16M   | 16mm        |
| BEW-22   | 11/16"      | BEW-17M   | 17mm        |
| BEW-24   | 3/4"        | BEW-18M   | 18mm        |
| BEW-24OS | 3/4" Offset | BEW-19M   | 19mm        |
| BEW-26   | 13/16"      | BEW-19MOS | 19mm Offset |
| BEW-28   | 7/8"        | BEW-20M   | 20mm        |
| BEW-28OS | 7/8" Offset | BEW-21M   | 21mm        |
| BEW-30   | 15/16"      | BEW-22M   | 22mm        |
| BEW-32   | 1"          | BEW-23M   | 23mm        |
| BEW-34   | 1-1/16"     | BEW-24M   | 24mm        |
| BEW-36   | 1-1/8"      | BEW-25M   | 25mm        |
| BEW-38   | 1-3/16"     | BEW-26M   | 26mm        |
| BEW-40   | 1-1/4"      | BEW-27M   | 27mm        |
| BEW-42   | 1-5/16"     | BEW-28M   | 28mm        |
| BEW-44   | 1-3/8"      | BEW-29M   | 29mm        |
| BEW-46   | 1-7/16"     | BEW-30M   | 30mm        |
| BEW-48   | 1-1/2"      | BEW-32M   | 32mm        |
| BEW-52   | 1-5/8"      |           |             |
| BEW-54   | 1-11/16"    |           |             |
| BEW-56   | 1-3/4"      |           |             |
| BEW-58   | 1-13/16"    |           |             |
| BEW-60   | 1-7/8"      |           |             |
| BEW-64   | 2"          |           |             |



IBEWS-13M

# Box End Wrench Sets

| PN             | DESC  |
|----------------|---|
| IBEWCB-6       | 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", T-Handle Bag - Long   |
| IBEWCB-8       | 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16, 1-3/8", 1-7/16", 1-1/2", T-Handle Bag - Long                                     |
| IBEWS-8        | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8   |
| IBEWS-9-1434   | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Wrench Roll Pouch 8  |
| IBEWS-11       | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 1                           |
| IBEWS-13       | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 13             |
| IBEWS-14       | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13 |
| IBEWS-6M       | 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, Wrench Roll Pouch 8   |
| IBEWS-8M       | 10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm, Wrench Roll Pouch 8   |
| IBEWS-10M-0716 | 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, Wrench Roll Pouch 11   |
| IBEWS-11M      | 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm, Wrench Roll Pouch 11                                |
| IBEWS-13M      | 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 13                       |
| IBEWS-17M      | 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 22mm, 23mm, Wrench Roll Pouch 8      |

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



# Ratcheting Box End Wrenches

| PN      | DESC |
|---------|------|
| IGW-06M | 6mm  |
| IGW-07M | 7mm  |
| IGW-08M | 8mm  |
| IGW-09M | 9mm  |
| IGW-10M | 10mm |
| IGW-11M | 11mm |
| IGW-12M | 12mm |
| IGW-13M | 13mm |
| IGW-14M | 14mm |
| IGW-15M | 15mm |
| IGW-16M | 16mm |
| IGW-17M | 17mm |
| IGW-18M | 18mm |
| IGW-19M | 19mm |
| IGW-20M | 20mm |
| IGW-21M | 21mm |
| IGW-22M | 22mm |
| IGW-23M | 23mm |
| IGW-24M | 24mm |
| IGW-25M | 25mm |
| IGW-27M | 27mm |
| IGW-30M | 30mm |
| IGW-32M | 32mm |

| PN     | DESC    |
|--------|---------|
| IGW-08 | 1/4"    |
| IGW-10 | 5/16"   |
| IGW-12 | 3/8"    |
| IGW-14 | 7/16"   |
| IGW-16 | 1/2"    |
| IGW-18 | 9/16"   |
| IGW-20 | 5/8"    |
| IGW-22 | 11/16"  |
| IGW-24 | 3/4"    |
| IGW-26 | 13/16"  |
| IGW-28 | 7/8"    |
| IGW-30 | 15/16"  |
| IGW-32 | 1"      |
| IGW-34 | 1-1/16" |
| IGW-36 | 1-1/8"  |
| IGW-40 | 1-1/4"  |

The secure hold and size benefits of the Cementex Box End Wrenches with the added features of a Ratcheting head.

Precision Ratcheting head is guaranteed to withstand your heavy work load while saving valuable time.

- Classic design only slightly larger than a standard box end wrench
- Slender head allows access to tight locations
- Wide range of sizes and length
- Reverse direction by flipping sides



IGW-24



IGRBWS-8



IGRBWS-11

# Ratcheting Box End Wrench Sets

| PN         | DESC   |
|------------|--|
| IGRBWS-8   | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", Wrench Roll Pouch 8  |
| IGRBWS-9   | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Wrench Roll Pouch 8   |
| IGRBWS-11  | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 11                                       |
| IGRBWS-13  | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", Wrench Roll Pouch 13                          |
| IGRBWS-16  | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Wrench Roll Pouch 13 |
| IGRBWS-8M  | 10mm, 11mm, 12mm, 14mm, 16mm, 18mm, 19mm, 20mm, Wrench Roll Pouch 8  |
| IGRBWS-11M | 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, Wrench Roll Pouch 11  |
| IGRBWS-15M | 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, Wrench Roll Pouch 13                        |

Ratcheting Wrenches

RATED 1000 VAC 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

## Single End Ratcheting Box Wrenches

Full polish finish provides corrosion resistance and an easy-to-clean surface, while built in retaining ring in each ratchet wheel adds speed and convenience for great accessibility. Shorter length for access to confined workspaces. The wrench self-aligns with the fastener.



| PN            | DESC   |
|---------------|--------|
| RBWSE-08..... | 1/4"   |
| RBWSE-10..... | 5/16"  |
| RBWSE-12..... | 3/8"   |
| RBWSE-14..... | 7/16"  |
| RBWSE-16..... | 1/2"   |
| RBWSE-18..... | 9/16"  |
| RBWSE-20..... | 5/8"   |
| RBWSE-22..... | 11/16" |
| RBWSE-24..... | 3/4"   |
| RBWSE-28..... | 7/8"   |



**RBWSE-28**

## Offset Single End Ratcheting Box Wrenches

Full polish finish provides corrosion resistance and an easy-to-clean surface. Built in retaining ring in each ratchet wheel adds speed and while the 45° offset and shorter length provide for greater access to confined workspaces. The wrench self-aligns with the fastener.



| PN             | DESC   |
|----------------|--------|
| ROBWSE-08....  | 1/4"   |
| ROBWSE-10..... | 5/16"  |
| ROBWSE-12..... | 3/8"   |
| ROBWSE-14..... | 7/16"  |
| ROBWSE-16..... | 1/2"   |
| ROBWSE-18..... | 9/16"  |
| ROBWSE-20..... | 5/8"   |
| ROBWSE-22..... | 11/16" |
| ROBWSE-24..... | 3/4"   |
| ROBWSE-28..... | 7/8"   |



**ROBWSE-24**

## Ratcheting Bug Wrenches

Orange handle is formulated of a high strength and high dielectric polymer. A see-through port in the center of the handle confirms that the two ends are not electrically connected.



| PN               | DESC  |
|------------------|---|
| CPIRB-0810.....  | 1/4" X 5/16"  |
| CPIRB-0814.....  | 1/4" X 3/8"   |
| CPIRB-1006.....  | 5/16" X 3/16"   |
| CPIRB-1214.....  | 3/8" X 7/16"  |
| CPIRB-1618.....  | 1/2" X 9/16"  |
| CPIRB-1824.....  | 9/16" X 3/4"  |
| CPIRB-2022.....  | 5/8" X 11/16"   |
| CPIRB-2024.....  | 5/8" X 3/4"   |
| CPIRB-2026.....  | 5/8" X 13/16"   |
| CPIRB-2428.....  | 7/8" X 3/4"   |
| CPIRB-516HX16... | 5/16" Hex X 1/2"  |
| CPIRBK-5.....    | 5 Pc Set - 3/8" X 7/16",<br>1/2" X 9/16", 9/16" X 3/4",<br>5/8" X 3/4", 7/8" X 3/4",<br>Wrench Roll Pouch 6 |



**CPIRB-2024**

## One Hander Wrench

One Hand Wrenches features a strong, forged steel, one-piece handle. Spring-loaded jaws grip any shape: meter nuts, round pipe, or parts of fittings without adjustment. One Hand Wrenches work like a pipe wrench and provide better grip than pliers due to the jaws and tooth direction. Securely and immediately tighten and loosen without removing the wrench from pipe.

**\*NOT A VOLTAGE RATED TOOL**

| PN          | DESC |
|-------------|------|
| OHW-08...   | 8"   |
| OHW-10..... | 10"  |
| OHW-12..... | 12"  |



RATED 1000 VAC / 1500 VDC  
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



**Metric**

**IHW-716**



# Hex Wrenches

- Hardened American Steel  
 - Made in USA  
 T-Handle: Solid Core handle provides superior grip and rigid construction limiting twisting and flexing, and distributing pressure evenly throughout gloved hand.




**IHK-716**

**IHK-716L**

**SAE**

| SIZE  | "L"      | Short Arm "L" | 6" T-HANDLE |
|-------|----------|---------------|-------------|
| .9mm  | IHW-9M   | IHW-9M-SA     | IHK-9M      |
| 1.5mm | IHW-1.5M | IHW-1.5M-SA   | IHK-1.5M    |
| 2mm   | IHW-2M   | IHW-2M-SA     | IHK-2M      |
| 2.5mm | IHW-2.5M | IHW-2.5M-SA   | IHK-2.5M    |
| 3mm   | IHW-3M   | IHW-3M-SA     | IHK-3M      |
| 3.5mm | IHW-3.5M | IHW-3.5M-SA   | IHK-3.5M    |
| 4mm   | IHW-4M   | IHW-4M-SA     | IHK-4M      |
| 5mm   | IHW-5M   | IHW-5M-SA     | IHK-5M      |
| 5.5mm | IHW-5.5M | IHW-5.5M-SA   | IHK-5.5M    |
| 6mm   | IHW-6M   | IHW-6M-SA     | IHK-6M      |
| 7mm   | IHW-7M   | IHW-7M-SA     | IHK-7M      |
| 8mm   | IHW-8M   | IHW-8M-SA     | IHK-8M      |
| 9mm   | IHW-9M   | IHW-9M-SA     | IHK-9M      |
| 10mm  | IHW-10M  | IHW-10M-SA    | IHK-10M     |
| 11mm  | IHW-11M  | IHW-11M-SA    | IHK-11M     |
| 12mm  | IHW-12M  | IHW-12M-SA    | IHK-12M     |
| 13mm  | IHW-13M  | IHW-13M-SA    | IHK-13M     |
| 14mm  | IHW-14M  | IHW-14M-SA    | IHK-14M     |
| 17mm  | IHW-17M  | IHW-17M-SA    | IHK-17M     |
| 19mm  | IHW-19M  | IHW-19M-SA    | IHK-19M     |
| 22mm  | IHW-22M  | IHW-22M-SA    | IHK-22M     |
| 24mm  | IHW-24M  | IHW-24M-SA    | IHK-24M     |

| SIZE  | "L"     | XL ARM "L" | 6" T-HANDLE | 9" T-HANDLE | 14" T-HANDLE |
|-------|---------|------------|-------------|-------------|--------------|
| 1/16" | IHW-116 | IHW-116L   | IHK-116     | -           | -            |
| 5/64" | IHW-564 | IHW-564L   | IHK-564     | IHK-564L    | IHK-564XL    |
| 3/32" | IHW-332 | IHW-332L   | IHK-332     | IHK-332L    | IHK-332XL    |
| 7/64" | IHW-764 | IHW-764L   | IHK-764     | IHK-764L    | IHK-764XL    |
| 1/8"  | IHW-180 | IHW-180L   | IHK-180     | IHK-180L    | IHK-180XL    |
| 9/64" | IHW-964 | IHW-964L   | IHK-964     | IHK-964L    | IHK-964XL    |
| 5/32" | IHW-532 | IHW-532L   | IHK-532     | IHK-532L    | IHK-532XL    |
| 3/16" | IHW-316 | IHW-316L   | IHK-316     | IHK-316L    | IHK-316XL    |
| 7/32" | IHW-732 | IHW-732L   | IHK-732     | IHK-732L    | IHK-732XL    |
| 1/4"  | IHW-140 | IHW-140L   | IHK-140     | IHK-140L    | IHK-140XL    |
| 5/16" | IHW-516 | IHW-516L   | IHK-516     | IHK-516L    | IHK-516XL    |
| 3/8"  | IHW-380 | IHW-380L   | IHK-380     | IHK-380L    | IHK-380XL    |
| 7/16" | IHW-716 | IHW-716L   | IHK-716     | IHK-716L    | IHK-716XL    |
| 1/2"  | IHW-120 | IHW-120L   | IHK-120     | IHK-120L    | IHK-120L     |
| 9/16" | IHW-916 | IHW-916L   | IHK-916     | IHK-916L    | IHK-916XL    |
| 5/8"  | IHW-580 | IHW-580L   | IHK-580     | IHK-580L    | IHK-580XL    |
| 3/4"  | IHW-340 | IHW-340L   | IHK-340     | -           | -            |



**HWS-14L**



**MHWS-8LA**

## Hex "L" Wrench Sets

| PN            | DESC   |
|---------------|--|
| HWS-7L.....   | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", Hex Key Pocket Pouch  |
| HWS-8L.....   | 1/8", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", Hex Key Pocket Pouch   |
| HWS-10L.....  | 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Hex Key Pocket Pouch  |
| HWS-14L.....  | 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", Hex Key Pocket Pouch             |
| HWS-16L.....  | 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16, 5/8", Hex Key Pocket Pouch |
| MHWS-8LA...   | 4mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, Hex Key Pocket Pouch   |
| MHWS-9L.....  | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, Hex Key Pocket Pouch   |
| MHWS-10L...   | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, Hex Key Pocket Pouch  |
| MHWS-11L..... | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 11mm, 12mm, Hex Key Pocket Pouch   |
| MHWS-12L..... | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 17mm, Hex Key Pocket Pouch                                       |
| MHWS-13L..... | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, Hex Key Pocket Pouch                                   |
| MHWS-14L..... | .9mm, 1.5mm, 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm, Hex Key Pocket Pouch                              |
| MHWS-18L..... | 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 14mm, 17mm, 19mm, 22mm, 24mm, Hex Key Pocket Pouch     |

**Hex Wrenches**

**RATED**  
 1000 VAC / 1500 VDC  
 Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

# Hex T-Handle Wrench Sets

Multiple shaft lengths and a range of combinations sure to meet your requirements. Ask your Cementex dealer or representative about adding one of these kits to your collection of tools or adding individual T-Handles to your custom kit.



**HKS-8TL916XL**

**T-Handle Bag - Long**



**T-Handle Bag - Standard**

**HKS-8T916**



**MHKS-10T**

## PN \_\_\_\_\_ 6" T-Handle Wrenches \_\_\_\_\_

- HKS-3T120.....5/64", 3/8", 1/2", T-Handle Bag - Standard
- HKS-6T.....5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
- HKS-6T380.....5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
- HKS-8T380.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
- HKS-8T916.....1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
- HKS-10T120.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Standard
- HKS-10T380..... 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Standard
- HKS-11T380.....5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
- HKS-11T916.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
- HKS-12T120.....3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Standard
- HKS-13T120.....5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
- HKS-13T916.....3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Standard
- HKS-14T580.....3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", T-Handle Bag - Standard

## PN \_\_\_\_\_ 9" T-Handle Wrenches \_\_\_\_\_

- HKS-8TL380XL.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
- HKS-8TL916XL.....1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Long
- HKS-10TL120XL.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
- HKS-10TL380XL.....3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", T-Handle Bag - Long
- HKS-11TL916XL.....1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", T-Handle Bag - Long
- HKS-12TL120XL..... 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", T-Handle Bag - Long
- HKS-14T580XL..... 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", T-Handle Bag - Long

## PN \_\_\_\_\_ Metric 6" T-Handle Wrenches \_\_\_\_\_

- MHKS-4T.....4mm, 5mm, 6mm, 8mm, Small Pocket Pouch
- MHKS-8T.....2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, T-Handle Bag - Long
- MHKS-9T.....2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, T-Handle Bag - Long
- MHKS-10T..... 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, T-Handle Bag - Long

Hex Wrench Sets

RATED 1000 VAC / 1500 VDC  
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts