## Contractor Series Arc Flash Hoods











Hood Vent System includes:

- High precision fan motor which provides over 6 cubic feet per minute (CFM)
- Durable and inherently flame resistant plastic housing
- Fresh air bladder
- Reinforced plastic spiral hose
- Requires 4 AA batteries (not included)

- FR Treated Cotton meets ANSI/ISEA 125 Level 2 Conformity and Arc Flash PPE Category 4 standards with an arc rating of 40 cal/cm<sup>2</sup>.
- Khaki Color allows easy identification of debris and contaminants
- Nearly clear TCG Series hood window provides 100% true color acuity and includes anti-fog and anti-scratch resistant coatings
- All Hoods are "Vent Ready" and may be upgraded to include Hood Vent System

PN		(not included)
HRC4-AFH-CGS	40Cal Contractor Ser	ies Arc Flash Hood ies Arc Flash Hood with Light
HRC4-AFH-HVS-GS-HL	with Vent System	
	with Vent System and	
AFH40-GC-RLS	40Cal Contractor Ser	ies Replacement Lens (Snaps)
OD 111/OM 4D	0 0 . 0	1 4 11 114 40 4

CP-HVSM-4B...... Contractor Series Complete Hood Vent System CP4B-CS-FAN...... Contractor Series Hood Vent Fan only\* CP4B-CS-HOSE......Contractor Series Hood Vent Bladder & Hose\* \*Replacement components

## Feature Series Arc Flash Hoods





- Westex® Ultrasoft® materials













Mark on assessed the oten dende ant but	PN	DESC
Meet or exceed the standards set by		12Cal Feature Ser
NFPA 70E, CSA Z452 and OSHA 1910.269		12Cal Feature Ser
ANSI/ISEA Z87.1 (Impact Rating Z81+)		
PureView <sup>™</sup> face shield technology	AFH-12CLH-G	12Cal Feature Ser
features a greater range of visibility	CS21HOOD_G	21Cal Feature Ser
reatures a greater range of visibility	C0211100D-G	

- The AFH40-FR-FAN-G is constructed specifically to include dual fans which provide a gentle breeze reducing body temperature and decreasing lens fogging.

 Hood Light (Light-1) may be attached with 116 included FR Hook and loop adhesive (optional) UltraLite Arc Flash Hoods



Lift Front Hoods allow for quick and easy access to fresh air when outside of determined safety boundaries.

All UltraLite Arc Flash Hoods:


- Arc Rated 40 cal/cm<sup>2</sup>
- Arc Flash PPE Category 4
- Multi-Layer System utilizing Dupont Protera® and Westex® UltraSoft® knit
- Hood Light strap for use with LIGHT-1
- "Vent Ready" and may be purchased with a ventilation fan system or included at a later date
- PureView™ face shield technology features a greater range of visibility
- Anti-fog and scratch resistant coating
- ANSI Rated, Hard Hat and headgear
- Meets or Exceeds NFPA 70E, CSA Z462 ASTM F1506, ASTM F2178, ANSI Z87S

CUL40-AFH-LF-G WITH HOOD LIGHT (LIGHT-1)



The CUL40-VENT operates on 8 AA batteries (not included) and has an approximate runtime of 6.5-7 hours (longer with lithium batteries). This fan is extremely lightweight and easily snaps into place in the back area of the UltraLite hoods. With the air flow, as shown, on the back of the neck, the high-flow fan more efficiently circulates fresh air and reduces shield fogging.





CUL40-AFH-LF-G-RL..... 40Cal UltraLite Lift Front Hood Replacement Lens - Clear

CUL40-VENT...... 40Cal UltraLite Ventilation Unit



Cementex Arc Rated Face Shields



AFS-180 (shown with UVSG-42 and CUL11TBAL)

- Molded shape provides minimal distortion
- Long length, chin cup, and sides provide superior coverage and protection
- Brow shield deflects impact of Arc Blast
- True Color Gray TCG<sup>™</sup> no color distortion
- Translucent sides and chin provide improved peripheral vision
- Exceptional Visible Light Transfer (VLT)
- Anti-Fog Interior Coating resists fogging
- Deluxe Scratch Resistant Exterior Coating
- Meets requirements of:
   NFPA 70E, CSA Z462, ASTM F2178,
   ANSI Z87.1, ANSI Z89.1, CSA Z94.1



PN	DESC
AFS-180	12 cal/cm² Arc Rated Face Shield (Gray) with Hardhat (Cementex Standard)
AFS-180K	12 cal/cm² Arc Rated Face Shield (Gray) with Hardhat, 12 cal/cm² FR Treated Cotton Balaclava (CSH-FRK),
	Safety Glasses, and Standard Face Shield Storage Bag
AFS-181	12 cal/cm² Arc Rated Face Shield (Gray) with A1 (Bullard) Hard Hat Adapter
AFS-183	12 cal/cm² Arc Rated Face Shield (Gray) with A3 (MSA) Hard Hat Adapter
AFS-185	12 cal/cm² Arc Rated Face Shield (Gray) with A5 (Oberon) Hard Hat Adapter
	12 cal/cm² Arc Rated Face Shield (Gray) with Hardhat and Standard Face Shield Storage Bag 12 cal/cm² Arc Rated Face Shield (Gray) with Hardhat and Deluxe Face Shield Storage Bag

## Arc Rated Face Shield Parts and Accessories



118

## Balaclava Sock Hoods

Comfort and coverage are key factors in the design of all Cementex balaclavas. They are an integral component of any Arc Flash PPE system. It protects your head and neck from the heat of an arc flash and your skin and hair from burns that can be produced by the burst of hot air from any kind of electrical arc flash or blast.





# Hard Hats ANSI/ISEA Z89.1

- Suspension Webbing (non-CSA) provides superior comfort and fit
- Quick and secure size adjustment
- Class E

PNDESC
SHH-40-A5 Hard Hat with Ratcheting Size Adjustment (White)
(A5 Replacement for AFS-180)
SHH-40W Hard Hat with Ratcheting Size Adjustment (White)
SHH-40W-RT Hard Hat with Rain Trough (White)
SHH-40W-SP Hard Hat with CSA Approved Side Impact
Protection (White)

\*\*\*\*NOTE: Other hard hat colors are available upon request and are special order - minimum quantities may apply.\*\*\*\*



SHH-40W

119

### **PPE Accessories**



### Arc Flash Hood and Helmet Light

- 3 distinct beam profiles easily accessed with a simple press, hold, or double press of the button
- 1 Maxbright LED creates a powerful spot beam
- 2 White Ultrabright LEDs deliver a dimmable flood
- 2 Red Ultrabright LEDs handle close-range lighting
- Can be locked to prevent accidental "turn-on" when not in use. Bright, durable LED Light (205 Lumens)
- Connects to Cementex hoods with Light Strap and includes ultra strong hook and loop connection for Face Shields and Hoods without Light Strap
- 205 Lumens, 150hr Burn Time, 92g, 3 AAA batteries

PN	DESC				
LIGHT-1	Light with	Strap	connector	and	Velcro

### Safety Glasses ANSI/ASSE Z87.1



- Clear UV absorbing lens
- Lightweight

PN\_\_\_\_\_\_DESC\_\_\_\_\_UVSG-42...... Standard Safety Glasses UVSG-44..... Over-Rx Glasses Safety Glasses UVSG-94..... CSA Rated Safety Glasses

#### **Hearing Protection**



OSHA AND NFPA® have determined that workers inside the arc flash boundary shall wear hearing protection. Ear canal inserts are the form of hearing protection recognized as they provide the least interference with the use of other PPE to protect the head and face. Other types of protection are acceptable, but MUST be worn under appropriate arc rated material.

PN	DESC
EARPLUG	Classic Ear Canal Insert (Pair)
EARPLUGS-25 PACK	Classic Ear Canal Insert (25 Pair)

## Hair and Beard Nets

Full coverage FR hair nets and beard nets feature an elastic fit and soft breathable FR fabric designed for comfort and flexibility. Made in the USA the Nomex knit FR fabric will not melt, drip or ignite.

- 2.9 cal/cm<sup>2</sup> rating
- Designed for multiple wears (follow laundering instructions on garments label)

	5000a	
5	Made	Tn
t	Aade he U.	S.A.



CFRBN-G

#### Hair Net

PN\_\_\_\_\_DESC\_\_\_\_\_\_CFRHN-G......Nomex® Hair Net (Gray)

#### **Beard Net**

PN\_\_\_\_\_DESC\_\_\_\_\_CFRBN-G......Nomex® Beard Net (Gray)

# Hood and Face Shield Storage



AFS-SB

- Simple
- Durable
- Effective





- Durable Canvas the U.S.A.
- Lined to protect vulnerable Face Shield lenses

ST-AFSC	S	I - A	4	S	C
---------	---	-------	---	---	---

 Ultra Durable construction Hot or Cold it is built to withstand the elements

ROTECTED

- XL Dimensions fits
   Arc Flash Storage Hoods
   (14" D x 16" H)
- Stackable for easy storage
- Seal-Tight Lid for reliable closure

PN	DESC
AFS-SB	Standard Face Shield Storage Bag
AFS-DB	Deluxe Face Shield Storage Bag

ST-AFSC.....Arc Flash Storage Canister