



ITC-9ELK



ITC-9ELK

Pliers: 9" Linesman's, 7" Diagonal Cut, 7" Chain Nose, 9-1/2" Wire Stripper

Screwdrivers:

Cabinet Tip: 3/16 X 4 1/2" 3/16" X 6", 1/4" X 6"

Phillips Tip: #1 X 3", #2 X 4"

Blow Molded Case, Large

ITS-11SC

Pliers: 8" Linesman's, 6" Diagonal Cut, 6" Chain Nose, 7-5/8" Solid Wire Stripper

Screwdrivers:

Cabinet Tip: 3/32" X 2", 1/8" X 5", 1/4" X 6"

Mechanics Tip: 5/16" X 6"

Phillips Tip: #2 X 6", #3 X 6"

Blow Molded Case, Large



ITS-11SC



ITS-12B-AES

ITS-12B-AES

Pliers: 9" Linesman's, 6" Diagonal Cut,

6" Chain Nose, 8" Slip Joint,

10" Crimper, 10" Water Pump

Screwdrivers: 3/16" X 4-1/2"

1/4" X 6" Cabinet Tip,

1/4" X 4-1/2", 5/16" X 6" Mechanics Tip,

#1 X 3", #2 X 4" Phillips Tip

20" Tool Box

ITB-15GTR

Pliers: 9" Linesman's, 6" Chain Nose, 7-5/8" Solid Wire Stripper, 10" Crimper

8" Fully Insulated Adjustable Wrench

Plastic Fuse Pullers: 5", 7-1/2"

Screwdrivers:

Cabinet Tip: 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

Mechanics Tip: 5/16" X 6"

Phillips Tip: #1 X 3", #2 X 4"

Holding Screw Starters:

9-3/4" Slotted, 9-3/4" Phillips

6" LED Mini Mag Lite

Driver Roll Pouch 6

20" Tool Box

ITS-18SCE

Pliers: 8" Diagonal, 8" Chain Nose

"T" Handle Socket Wrenches: 5/8", 1/2"

6" Composite Nut Drivers: 5/16", 3/8", 7/16", 1/2", 9/16"

Composite Screwdrivers:

Cabinet Tip: 3/16 X 6", 1/4" X 4-1/2", 5/16" X 6", 3/8" X 6"

Phillips Tip: #2 X 4"

Composite Holding Screw Starters: 8" Slotted, 8" Phillips

20" Tool Box

ITS-MB410

IR12-LC: 1/2" Square Drive Ratchet
 Extension Bars: 5", 10"
 12-Point SAE Standard Wall Sockets:
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",
 Pliers: 9" Linesman's,
 7" Diagonal Cut, 7" Chain Nose
 Screwdrivers: 1/8" X 2", 3/16" X 4-1/2"
 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 4" Phillips Tip
 Orange Flashlight
 Blow Molded Case, Large

ITS-MB410



ITS-MB410M

ITS-MB410 with Metric Sockets replacing SAE Sockets
 and without Orange Flashlight
 12-Point Metric Standard Wall Sockets:
 8mm, 10mm, 13mm, 14mm, 15mm, 17mm, 19mm

ITB22-GPTK

Pliers: 9" Hardened Linesman's,
 8" Hardened Diagonal, 7" Diagonal,
 8" Hardened Diagonal Cut,
 6", 7" Chain Nose,
 8" Needle Nose w/ Wire Stripper,
 7-5/8" Solid Wire Stripper,
 9" Cable Cutter, 10" Crimping,
 10", 12" Water Pump
 Screwdrivers: 3/16" X 4-1/2",
 3/16" X 6", 3/16" X 8" Cabinet Tip,
 1/4" X 4-1/2", 5/16" X 6",
 3/8 X 10" Mechanics Tip,
 #1 X 3", #2 X 4", #3 X 6" Phillips Tip
 9" Insulated Linesman's Knife
 26" Tool Box

ITC22-GPTK

ITB22-GTPK In a Deluxe Tool Case



ZTB-23JM

ITS-22GITK

Pliers: 9" Linesman's,
 7" Diagonal Cut, 8" Chain Nose,
 10" Crimper, 9" Cable Cutter,
 9-1/2" Wire Stripper, 10" Water Pump
 6" SAE Nut Drivers: 3/16", 1/4",
 5/16", 3/8", 7/16", 1/2"
 Screwdrivers: 3/16" X 4-1/2"
 3/16" X 6", 1/4" X 6" Cabinet Tip,
 #1 X 3", #2 X 6", #3 X 6" Phillips Tip
 Screwstarters:
 9-3/4" Slotted, 9-3/4" Phillips
 Electrician's Knife with Cap
 20" Tool Box

ZTB-23JM

Pliers: 9" Linesman's,
 8" Diagonal, 8" Chain Nose,
 10" Crimper, 9" Cable Cutter,
 7-5/8" Solid Wire Stripper,
 10" Crimping, 10" Water Pump
 Plasti Fuse Puller
 3" SAE Nut Drivers: 3/16", 1/4",
 5/16", 3/8", 7/16", 1/2"
 Cabinet Tip Screwdrivers:
 1/8" X 5", 3/16" X 6", 1/4" X 6"
 Mechanics Tip Screwdrivers:
 5/16" X 6", 3/8" X 8"
 Phillips Tip Screwdrivers:
 #1 X 3", #2 X 6", #3 X 6"
 Electrician's Knife with Cap
 Driver Roll Pouch 12
 Zippered Tool Bag, 11" X 15"

RATED 1000 VAC / 1500 DC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

ITS-24B

- Pliers: 9" Linesman's,
6" Diagonal, 6" Chain Nose,
10" Crimping, 8" Slip Joint,
10" Water Pump
- SAE Long Arm Hex "L" Wrenches:
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- 3" SAE Nut Drivers: 1/4",
5/16", 3/8", 7/16", 1/2"
- Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 1/4" X 6"
- Mechanics Tip Screwdrivers:
1/4" X 4", 5/16" X 6"
- Phillips Tip Screwdrivers:
#1 X 3", #2 X 4"
- 20" Tool Box



ITS-24B

ITS-MB420



ITB-240MB

- 30150TW38I: 3/8" Square Drive
Torque Wrench - 30-150 Inch pounds
- IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6", 12"
- 12-Point SAE Deep Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8",
11/16", 3/4", 13/16"
- 10" Water Pump Pliers
- SAE Long Arm Hex "L" Wrenches:
3/16", 1/4", 5/16", 3/8"
- 3" SAE Nut Drivers:
3/8", 7/16", 1/2", 9/16"
- Screwdrivers:
1/4" X 6" Cabinet Tip,
#2 X 6" Phillips Tip
- 20" Tool Box

ITS-MB420

- IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5"
- 12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Pliers: 9" Linesman's,
7" Diagonal Cut, 7" Chain Nose
- SAE Open End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Screwdrivers: 1/8" X 2", 3/16 X 4-1/2",
1/4" X 6" Cabinet Tip,
#1 X 3", #2 X 4" Phillips Tip
- Orange Flashlight
- Blow Molded Case, Large

ITS-MB420-38

- ITS-MB420 replacing 1/2" Square Drive
with 3/8" Square Drive:
Ratchet, Extension Bar and Sockets
- IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 6"
- 12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

ITS-MB420-IH

- IR12-LC: 1/2" Square Drive Ratchet
Extension Bars: 5"
- 12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 6" SAE Hex Bit Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
- Pliers: 9" Linesman's,
7" Diagonal Cut, 7" Chain Nose
- SAE Open End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Blow Molded Case, Large

ITS-30B

Pliers:

- 9" Linesman's, 8" Slip Joint, 8" Chain Nose,
- 7" Diagonal, 9" Cable Cutter, 10" Crimp,
- 6" Duck Bill, 10", 12" Water Pump

6" SAE T-Handle Hex Wrenches:

- 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

3" SAE Nut Drivers:

- 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Cabinet Tip Screwdrivers:

- 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

Mechanic's Tip Screwdrivers:

- 1/4" X 4-1/2", 5/16" X 6", 3/8" X 8"

Phillips Tip Screwdrivers:

- #1 X 3", #2 X 4"

20" Tool Box



ITS-30B



ITS-30B-SC

ITS-30B tools in a Soft-Side Carrying Case

ITS-30B-NDXL

ITS-30B replacing 3" with 6" SAE Nut Drivers
20" Tool Box

ITS-30B-MM

ITS-30B replacing SAE with Metric Nut Drivers
and T-Handle Hex Wrenches

6" Metric T-Handle Hex Wrenches:

- 4mm, 5mm, 6mm, 8mm, 9mm, 10mm

3" Metric Nut Drivers:

- 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, 12mm



ITS-30B-CA

ITS-30B with an alternate Screwdriver Mix
that includes Robertson Tip Screwdrivers

Cabinet Tip Screwdrivers:

- 3/16" X 6", 1/4" X 6"

Mechanic's Tip Screwdrivers:

- 1/4" X 4-1/2", 3/8" X 8"

Phillips Tip Screwdrivers:

- #1 X 3", #2 X 4"

Robertson Tip Screwdrivers:

- #1 X 3", #2 X 4"



ITS-30B-SC

ITS-30B-C

ITS-30B replacing standard steel with
Composite Screwdrivers and Nut Drivers

6" Composite SAE Nut Drivers:

- 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Composite Cabinet Tip Screwdrivers:

- 3/16" X 5", 3/16" X 6", 1/4" X 4-1/2", 1/4" X 6"

Composite Mechanic's Tip Screwdrivers:

- 5/16" X 6", 3/8" X 6"

Composite Phillips Tip Screwdrivers:

- #1 X 3", #2 X 4"



ITS-30MTK

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Deep Wall Sockets: 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

Pliers: 9" Linesman's,
7" Diagonal Cut, 7" Chain Nose

SAE Box End Wrenches: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

Screwdrivers: 1/8" X 5", 3/16" X 4-1/2",
1/4" X 6" Cabinet Tip,

#1 X 3", #2 X 4" Phillips Tip

Orange Flashlight

20" Tool Box

ITS-MB430

ITS-30MTK plus 40200TW38I

3/8" Square Drive Torque Wrench
40-200 Inch Pounds

In a Blow Molded Carrying Case

ITS-MB430M

**ITS-30MTK with 1/2" Square Drive Torque Wrench,
Metric Sockets and Box End Wrenches**

150750TW12I: 1/2" Square Drive Torque Wrench
150-750 Inch Pounds

IR12-LC: 1/2" Square Drive Ratchet

Extension Bars: 2", 5"

12-Point Metric Deep Wall Sockets:

9mm, 10mm, 12mm, 14mm, 15mm, 19mm, 21mm, 22mm

Metric Box End Wrenches:

10mm, 11mm, 12mm, 14mm, 15mm, 16mm, 18mm, 20mm



ITS-MB431

ITS-MB431

40200TW38I: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Deep Wall Sockets:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

Pliers: 9" Linesman's,
7" Diagonal, 7" Chain Nose

SAE Wratching Box End Wrenches:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

Screwdrivers: 1/8" X 5", 3/16" X 4-1/2"

1/4" X 6" Cabinet Tip,

#1 X 3", #2 X 4" Phillips Tip

Orange Flashlight

Blow Molded Carrying Case

ITS-MB431M

**ITS-MB431 replacing SAE with Metric Sockets
and Ratcheting Box End Wrenches**

12-Point Metric Deep Wall Sockets: 10mm,

12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm

Metric Wratching Box End Wrenches: 10mm,

12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm

ITB-39IMB

- 30150TW381: 3/8" Square Drive Torque Wrench
30-150 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet
- Extension Bars: 3", 6", 12"
- 12-Point SAE Deep Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 10" Water Pump Pliers
- SAE Long Arm Hex "L" Wrenches:
3/16", 1/4", 5/16", 3/8"
- SAE Box End Wrenches: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 3" SAE Nut Drivers: 3/16", 1/4",
5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- Screwdrivers: 3/16" X 6",
1/4" X 6" Cabinet Tip,
5/16" X 6" Mechanics Tip,
#1 X 3", #2 X 6" Phillips Tip
- 20" Tool Box

ITS-40B

- ITC-39IMB with 40200TW381
3/8" Square Drive Torque Wrench
40-200 Inch Pounds
- Without 12" Extension Bar
- 26" Tool Box



ITC-40-W

- 40200TW381: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet
- Extension Bars: 3", 6"
- 12-Point SAE Deep Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Pliers: 9" Linesman's,
6" Diagonal, 7" Chain Nose,
10" Ratcheting Cable Cutter
- SAE Box End Wrenches: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- SAE Open End Wrenches: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 7/16" X 3" Nut Driver
- Screwdrivers: 1/8" X 2",
3/16" X 4-1/2", 1/4" X 6" Cabinet Tip,
#1 X 3", #2 X 4" Phillips Tip
- Orange Flashlight
- Electrician's Knife with Cap
- Deluxe Case with Wheels and Laser Cut Foam

ITS-40B



ITS-46B

- Pliers: 9" Linesman's, 7" Diagonal,
7" Chain Nose, 10" Crimper,
9" Cable Cutter, 9-1/2" Wire Stripper
- 10" Water Pump
- SAE Long Arm Hex "L" Wrenches:
1/16", 5/64", 3/32", 7/64", 9/64", 5/32",
3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"
- SAE Box End Wrenches: 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16",
7/8", 15/16", 1"
- 6" SAE Nut Drivers: 3/16", 1/4",
5/16", 11/32", 3/8", 7/16", 1/2"
- Screwdrivers: 1/8" X 2", 3/16" X 4-1/2",
3/16" X 6", 1/4" X 6" Cabinet Tip,
3/8" X 10" Mechanics Tip,
#2 X 4", #2 X 8" Phillips Tip
- Snap Closure Case 501
- 26" Tool Box

ITS-46B



RATED
1000 VAC / 1500 VDC
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



ITS-60B/T-DLX



ITS-60B/T

ITS-60B plus

40200TW381: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds

ITS-60B/T-DLX

ITS-60B-DLX plus

40200TW381: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds

ITS-60B-IHK

ITS-60B with

SAE T-Handle Hex Wrenches: replacing Hex "L" Wrenches
5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16",
7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"

SAE Open End Wrenches: replacing Box End Wrenches
3/8", 7/16", 1/2", 9/16", 5/8", 11/16",
3/4", 13/16", 7/8", 15/16", 1"

T-Handle Bag, Long: replacing Snap Case

ITS-60B

IR38-LC: 3/8" Square Drive Ratchet

Extension Bars: 3", 6"

12-Point SAE Standard Wall Sockets: 5/16", 3/8",
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Pliers: 9" Linesman's,

7" Diagonal, 7" Chain Nose,

10" Crimping, 9" Cable Cutter,

9-1/2" Wire Stripper, 10" Water Pump

SAE Long Arm Hex "L" Wrenches:

1/16", 5/64", 3/32", 7/64" 1/8", 9/64", 5/32",

3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"

SAE Box End Wrenches: 3/8", 7/16", 1/2",

9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

6" SAE Nut Drivers:

3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Screwdrivers: 1/8" X 2", 3/16" X 4-1/2",

3/16" X 6", 1/4" X 6" Cabinet Tip,

3/8" X 10" Mechanics Tip,

#2 X 4", #2 X 8" Phillips Tip

Wrench Roll Pouch 11

Snap Case

26" Tool Box

ITS-60B-DLX

ITS-60B in

Deluxe Tool Case

ITS-60B-DLX-W

ITS-60B in

Deluxe Tool Case with Wheels

ITS-60B/T-DLX-W

ITS-60B-DLX-W plus

40200TW381: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds

ITS-60B/T-IHK

ITS-60B-IHK plus

40200TW381: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds

and with

SAE Box End Wrenches: replacing Open End Wrenches
3/8", 7/16", 1/2", 9/16", 5/8", 11/16",
3/4", 13/16", 7/8", 15/16", 1"

ITS-60B-DLX-W-IGW

ITS-60B with

SAE Ratcheting Box End Wrenches: replacing Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

Deluxe Tool Case with Wheels: replacing Snap Case and 26" Tool Box



ITS-60B/T-IGW-DLX-W

ITS-60B-DLX-W-IGW plus

40200TW38I: 3/8" Square Drive Torque Wrench

40-200 Inch Pounds

Snap Closure Case 501

and without

1/16" SAE Long Arm Hex "L" Wrench

ITS-60B-M

ITS-60B with Metric Sockets,

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

12-Point Metric Standard Wall Sockets:

8mm, 10mm, 12mm, 13mm, 14mm,

15mm, 16mm, 18mm, 19mm, 22mm

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm,

7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm

Metric Box End Wrenches: 10mm, 12mm, 13mm,

14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm

6" Metric Nut Drivers:

6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 13mm

ITS-60B/T-MM

ITS-60B plus

40200TW38I: 3/8" Square Drive Torque Wrench

40-200 Inch Pounds

and with a different mix of Metric

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm,

5mm, 5.5mm, 6mm, 8mm, 10mm, 11mm, 12mm

Metric Box End Wrenches: 10mm, 11mm, 12mm, 14mm,

16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm

6" Metric Nut Drivers:

5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm

ITS-60B/T-OEW-DLX-W

ITS-60B/T-IGW-DLX-W with

SAE Open End Wrenches: replacing Ratcheting Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

and without Snap Closure Case 501

ITS-60B/T-DLX-W-MM

ITS-60B/T-MM with

Deluxe Tool Case With Wheels: replacing 26" Tool Box

ITS-60B/T-IGW-MM-DLX-W

ITS-60B/T-DLX-W-MM with

Metric Ratcheting Box End Wrenches: 10mm, 11mm, 12mm,

14mm, 16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm

and without Snap Closure Case 501




ITS-60B/T-MM





ITS-69B-METRIC



ITS-69B-METRIC

- 40200TW38I: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6", 12"
- 12-Point Metric Standard Wall Sockets:
8mm, 10mm, 12mm, 13mm, 14mm,
15mm, 16mm, 18mm, 19mm, 22mm
- Pliers: 9" Linesman's,
6" Diagonal, 6" Chain Nose,
Plastic Grip, 9" Cable Cutter,
9-1/2" Wire Stripper, 10" Water Pump
- 10" Adjustable Wrench
- Metric Long Arm Hex "L" Wrenches:
1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm,
7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm
- Metric Box End Wrenches:
6mm, 8mm, 10mm, 11mm, 12mm, 13mm,
14mm, 15mm, 17mm, 19mm, 22mm
- 3" Metric Nut Drivers:
5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm
- Cabinet Tip Screwdrivers:
3/16" X 4-1/2", 3/16" X 8", 1/4" X 6"
- Mechanics Tip Screwdrivers:
5/16" X 6", 3/8" X 8"
- Phillips Tip Screwdrivers:
#1 X 3", #2 X 4", #2 X 8", #3 X 6"
- 8" Composite Holding Screwstarters:
Slotted, Phillips
- Electrician's Knife with Cap
- 2-1/4" Round Inspection Mirror
- 18" Magnetic Retrieving Tool
- Wrench Roll Pouch 11
- 26" Tool Box

ZTB-62

- 40200TW38I: 3/8" Square Drive Torque Wrench
40-200 Inch Pounds
- IR38-LC: 3/8" Square Drive Ratchet
Extension Bars: 3", 6"
- 12-Point SAE Standard Wall Sockets:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 12-Point Metric Standard Wall Sockets:
10mm, 11mm, 12mm, 13mm, 14mm,
15mm, 16mm, 17mm, 18mm, 19mm
- SAE Open End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Open End Wrenches:
10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm
- SAE Ratcheting Box End Wrenches:
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Ratcheting Box End Wrenches:
9mm, 10mm, 11mm, 12mm
- 6" SAE Nut Drivers:
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- Screwdrivers: 3/16" X 4-1/2",
3/16" X 6", 1/4" X 6" Cabinet Tip,
5/16" X 6", Mechanics Tip,
#1 X 3", #2 X 4" Phillips Tip
- 3 X Wrench Roll Pouch 8
- Driver Roll Pouch 6
- Driver Roll Pouch 12
- Driver Tool Roll 12
- Zippered Pouch
- Zippered Tool Bag, 11" X 15"



ZTB-62



Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

RATED 1000 VAC / 1500 VDC

General Maintenance Kits